


Renault Clio F4R 144mm Connecting Rods Main Sizes

Brand: Hurricane*	
Center to Center Length: 144mm/5.670"	
Big End Bore Diameter: 51.6mm/2.031"	
Big End Width: 24.89mm/0.980"	
Small End Bore Diameter: 21mm /0.827"	
Small End Width: 24.89mm/0.980"	
Beam Style: X-beam	

Renault Clio RS 2.0Ltr 16V F4R connecting rods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXX
Advertised Horsepower Rating	700HP
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

X-Beam Connecting Rods (4 PCS) for Renault F4R F7R Description

The connecting rod is the vital link between the piston and power. When engine output is increased, the demands placed on the connecting rod increase as well. To ensure engine reliability in all conditions, original connecting rods should be replaced with performance specification parts. Renault Clio F4R 144mm

connecting rods are manufactured from high strength One-piece 4340 (EN24) steel and machined to exacting tolerances. The Renault Clio RS 2.0Ltr 16V F4R connecting rods are Multi Stage Heat Treated, CNC machined and Shot Peened for maximum strength, dimensional stability, and fatigue life.



Hurricane 144x21mm connecting rods fits for:

Renault Clio, Megane, Laguna, Scenic, Espace, engine code F7P, F7R, F4R.

Our forged con rods for Renault F4R & F4R-T delivery time may depending on stock and hurricane current production order situation, so please feel free to confirm with [hurricane team](#).

Renault Clio Red Car

