


BMW S14 Connecting Rod Main Sizes

Brand: Hurricane	
Center to Center Length: 144mm/5.670"	
Big End Bore Diameter: 52.00mm/2.047"	
Big End Width: 23.9mm/0.941"	
Small End Bore Diameter: 22mm /0.866"	
Small End Width: 23.9mm/0.941"	
Beam Style: X-beam	

Connecting Rods BMW E30 M3 S14 Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	xxx gram
Advertised Horsepower Rating	700hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

BMW E30 M3 S14 Forged Connecting Rod Detailed Description

For BMW S14 B23 E30 M3 88-91 L4 4 cyl 4340 EN24 Forged Steel X-Beam Conrod are manufactured from 4340 high tensile steel and are designed for high performance and extreme durability. BMW S14 Connecting Rod are shot peened to relieve stress from the material and multi-stage heat treated to increase rigidity. The tight tolerances in the production process, ensure a perfect fitment while optimizing the oil clearances. Bend and twist is tightly controlled. BMW E30 M3 S14 Forged Connecting Rod are Optimal balancing +/- 1 gram per set and could support 700 horsepower engine.



Note: BMW E30 S14 2.0/2.4L Engine 144mm Rod length is under production.

Fitting Info:

BMW E30 M3 2.3L 2.5L S14B23 S14B25

Realted product:

1. [BMW M3 S14 2.3L 2.5L I-Beam Connecting Rods 144x52x22mm](#)
2. [H-Beam Connecting Rod for BMW E30 M3 S14 Engine 144mm Length 2.0 2.3L](#)

More performance connecting rods for BMW race engines, please check our [BMW Rods Catalog](#), if you do not find what you want or have interests of our products, please feel free to contact [hurricane team](#).

BMW E30 M3 2.5L S14 Engine



Note: Picture from Pinterest.