


Connecting Rod Dodge Neon SRT-4 Main Sizes

Brand: Hurricane*	
Center to Center Length: 151mm/5.945"	
Big End Bore Diameter: 53mm/2.087"	
Big End Width: 25.7mm/1.012"	
Small End Bore Diameter: 22.00mm/0.866"	
Small End Width: 25.7mm/1.012"	
Beam Style: I-beam	

SRT-4 / PT Cruiser Performance Conrods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	xxx
Advertised Horsepower Rating	750hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

I beam Connecting Rods Dodge SRT-4 Description

Hurricane is proud to offer our proprietary 750 HP Chrysler Dodge SRT-4 I beam 5.945" connecting rods. Hurricane connecting rods are forged from 4340 Chrome Moly steel and CNC machined to our strict tolerances. We design our connecting rods using the latest Solidworks 3D and CAD software. Each set of rods is sold in weight-matched sets within +/-1 grams. This combination of stringent material selection, quality components, and precise tolerances ensures that you are offered one of the highest quality connecting rods on the market.



Note: Hurricane I beam connecting rods dodge srt-4 are ready for honing, every piece of Heavy Duty SRT-4 connecting rods will be honed to use size by Sunnen Honing Machine.

More I beam design choice, please view picture below or check: [Hurricane Connecting Rod Features - Various Beam Designs](#)



Any question or concerns, please feel free to contact Hurricane sales team at: marketing@hurricane-rod.com.cn

Dodge Neon SRT-4 Engine



Note: Picture from The Drive.