

Brand: Hurricane *
Engine: Nissan Datsun L16/L18
Part Type: Connecting Rods
Center to Center Length: 130.2mm/5.126"
Big End Bore Diameter: 53.01mm/2.087"
Big End Width: 26.77mm/1.054"
Small End Bore Diameter: 21mm /0.827"
Small End Width: 25.4mm/1.000"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: ~g/piece
Advertised Horsepower Rating: 750hp
Quantity: Sold as 4 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Nissan Bluebird / Datsun 510 L16 L18 Forged 4340 steel connecting rods are CNC machined, heat treated to increase tensile strength and shot peened to increase fatigue life. More forged 4340 steel connecting rod for nissan models, please [check our Nissan Rods catalog](#), if you do not find what you want, [drop message to our skilled craftsman](#). We will get back to you within 24 hours.



Hurricane Nissan Datsun L16 L18 Forged Connecting Rods Features:

Grade Tested (X-Ray & Sonic) 4340 Steel ONE Piece Forging
Quenched and Heat Treated
Shot Peen Hardness Treated (38-42HRC)
Doweled Cap for Superior Alignment
Optional COPY ARP, ARP2000 or Custom Age 625 Plus Series Bolts
Silicone Bronze Pin End Bushes
Balanced to Within a +/- 1 Gram Tolerance Per Set
Big & Pin End honed and Sized by Sunnen Honing Machine
100% CNC Profiling and machining

FITMENT:

Chassis: Nissan Bluebird / Datsun 510

Engine: L16 L18

[Hurricane Speed And Performance](#) is a Performance Engine Parts & Components Manufacturer located in Chengdu, China. Our mature product is performance Connecting rods for Race Engine Applications. Hurricane can offer 4340, Aluminium, 300M or Titanium material conrods with custom design and private logo print service.



Datsun 260Z Race Car Picture

