
## Audi RS3 X beam steel connecting rods Main Sizes



# Forged Connecting Rods 144X22 VW & Audi RS3 Features

Connecting Rod Bolt Diameter	3/8"	
Approximate Connecting Rod Weight	545 gram	
Advertised Horsepower Rating	900hp	
Quantity	Sold as 5 pieces /set	
Material	Forged 4340 steel	
Connecting Rod Finish	Shot-peened, Polished	
Pin	Bronze wrist pin bushings	
Wrist Pin Style	Floating	
Cap Retention Style	Cap screw	
Weight Matched Set	Yes ,Balanced +/- 1g	
Magnafluxed	Yes	
Private Label	Yes ,available	
Custom design	Yes, accept	

### Audi RS 3 2.5L TFSI EA855 Connecting Rods Description

Audi RS3 X beam steel connecting rods are the perfect performance upgrade. Forged from 4340 aircraft quality vacuum degassed material, Fully CNC machined and Shot peened after machining to Mil specs. Each set of Audi RS3 TT RS 5 Cylinder 2.5L Connecting Rods are weight matched to +/- 1 grams and capable of handing 900 HP.



Forged Connecting Rods 144X22 VW & Audi RS3 are ready for packing. The rifle drilling application is available in all of hurricane 4340 steel connecting rods and they are sold separately, please contact us for more information if you are interested. And Audi RS3 X-beam rifle drilled connecting rods estimate weight is only 545 gram per piece.

Hurricane factory produced kinds of Audi performance connecting rods in various designs. We also have Hbeam and I-beam designs connecting rods for Audi RS3 EA855 engine.

If you are interested, please feel free to contact us on Live Chat or By email to marketing@hurricanerod.com.cn directly.

#### Related conrods:

- 1. I-beam steel connecting rod for TTRS RS3 2.5-cylinder engine
- 2. Audi TTRS RS3 2.5 20V TFSI 5Cyl connecting rods

### Audi RS 3 2.5L TFSI EA855 connecting rods Fits for

- Audi RS 3 (8PA) 2.5L TFSI EA855
- Audi RS 3 (8VA) 2.5L TFSI EA855EVO
- Audi TT RS (8J) 2.5L TFSI EA855
- Audi TT RS (8S) 2.5L TFSI EA855EVO

### Audi 2.5 TFSI 5 Cylinder Engine



Note:Picture from Jalopnik.