

Brand: Hurricane
Engine: BMW M20
Part Type: Connecting Rods
Center to Center Length: 140mm/5.512"
End Bore Diameter: 48mm/1.890"
Big End Width: 21.87mm/0.861"
Small End Bore Diameter: 22mm /0.866"
Small End Width: 21.87mm/0.861"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: 520g/piece
Advertised Horsepower Rating: 900hp
Quantity: Sold as 6 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Those Steel connecting rod produced in our factory on advanced CNC machinery, fits BMW M20 engines. they are fully machined, heat treated, stress relieved, polished and shot peened. H-beam rods are often recommended for high horsepower or boosted engines, and the raised cap can help to reduce more stress and make the rods become more stronger .



BMW M20 140mm H-beam Rods Packing Picture for reference as below , these rods will be packaged well by oil and rust preventive paper to protect the rods well during international transportation .



Hurricane also supply BMW M20 H-beam rods with 130mm and 135mm center to center length , you can

view in [here](#), for more **[BMW Rods](#)** which Hurricane produced before , you can view them in [there](#), shop now!