

# Toyota 2ZZ-GE 2ZZ 138mm X-beam Conrods Main Dimensions

Brand: Hurricane	
Center to Center Length: 138mm/5.433"	
Big End Bore Diameter: 48.00mm/1.890"	
Big End Width: 19.8mm/0.780"	
Small End Bore Diameter: 20mm /0.787"	
Small End Width: 18mm/0.709"	
Beam Style: X-beam	

## Toyota 2ZZ-GE 2ZZ 138mm X-beam Conrods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	~
Advertised Horsepower Rating	600hp
Quantity	Sold as 4 pieces /set
Material	<a href="#">Forged 4340 steel</a>
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

### Additional Description :

1). MOQ: 100pcs per model .

- 2). Machined from premium 4340 forged steel forgings .
- 3). 100% CNC machined for maximum stability .
- 4). Built with light and strong X-beam to handle extreme engine speeds .
- 5). Per rod comes with the bronzed bushing for floating piston pin .
- 6). Shot Peened for improved fatigue life.
- 7). All forging are X-rayed, sonic tested and magnafluxed .
- 8). They are fitting with 3/8" Standard ARP 2000 bolts .
- 9). Dowel sleeves located in the big end caps to achieve accurate re-assembling.
- 10). Per rod can be lasered with private logo as specified request .

**[Hurricane Factory](#) Workshop Picture**



**Toyota 4340 Forged X-beam Connecting Rods Picture**



If you are going to purchase high performance Toyota 2ZZ-GE 2ZZ 138mm X-beam connecting rods with competitive price, welcome to [come to Hurricane](#) !