


# Toyota 1HD 5.795" I-beam Conrods Main Dimensions

Brand: Hurricane	
Center to Center Length: 147.2mm/5.795"	
Big End Bore Diameter: 62mm/2.441"	
Big End Width: 30.85mm/1.215"	
Small End Bore Diameter: 33mm /1.299"	
Small End Width: 30.85mm/1.215"	
Beam Style: I-beam	

# Toyota 1HD 5.795" I-beam Conrods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	xxx
Advertised Horsepower Rating	900hp
Quantity	Sold as 6 pieces /set
Material	<b>Forged 4340 steel</b>
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept


## Additional Description :

- 1). MOQ: 100pcs per model
- 2). Hardness: 34-38HRC
- 3). X-rayed, sonic tested and magnafluxed
- 4). Fully CNC machined on all surfaces
- 5). Come with high quality bronzed bushing


6). Shot Peened

7). [I-Beam Shape](#) for increased strength

8). Dimensionally Inspected



9). Logo printing available



10). Packing Picture :



Hurricane makes 4340 billet and forged connecting rods for popular racing applications since 2000, providing over 200 different connecting rod models and design for a lot of different Automotive and Motorcycle applications, include Subaru , Honda, Nissan , Mitsubishi , Toyota , Benz, VW/Audi , Opel , BMW, GM LS , Ford , Dodge, Pontiac , Chrysler , Isuzu , GM Duramax , Cummins, Volvo , Porsche , Harley-Division and Yamaha etc.

Welcome to [\\_contact us](#) if you can not find the one which you are looking for on our website .