

Toyota 1ZZ X-beam Connecting Rods Main Sizes

Brand: Hurricane*	
Center to Center Length: 146.6mm/5.772"	
Big End Bore Diameter: 47mm/1.850"	
Big End Width: 19.79mm/0.779"	
Small End Bore Diameter: 20mm /0.787"	
Small End Width: 19.99mm/0.787"	
Beam Style: X-beam	

Toyota 1ZZ X-beam Connecting Rods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXX
Advertised Horsepower Rating	700hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Products Description :

These Toyota 1zz connecting rods forged from high quality 4340 Chromoly steel ; and built with strong X-Beam design to withstand high horsepower engines; They can hold about 175 HP per rod. Per rod 100% designed and processed by CNC machine at Hurricane workshop in Chengdu , China ; High strength dowels fitted in the big end cap to keep the bearing caps precisely aligned;The bronze bushings are inserted in the small end for floating piston pins .

Hurricane X-beam 4340 forged steel connecting rods



Hurricane also provides X-beam connecting rods for following performance engines :

[Toyota 3RZ](#)

[TOYOTA 1KD-FTV 3.0L TD](#)

Toyota 1/2/3 UZFE
HONDA / ACURA J35
Honda F20B
Honda Integra LS CRV B18A B18B B20
Honda F20C/S2000
HONDA / ACURA S2000 F22C
VW Golf Jetta - 2.3 VR5 AGZ AQN
Audi/VW R32 VR6
Audi VW Scirocco/Jetta/Golf 1.8L/1.8T
Audi / VW 1.9L TDI
Audi S4 2.7T 30V and 2.8L V6
BMW Z4 35i 135i 335i 535i N54B30
BMW N20B20 F22 228i F25 X1 X3
BMW M3 E46 S54 3.2L
BMW E30 M20
Mazda MZR 2.0L

If you can not find the connecting rod which you need on our website , please feel free send email to marketing@hurricane-rod.com.cn or leave message for us online .