Toyota 1ZZ X-beam Connecting Rods Main Sizes

Brand: Hurricane*	tere and the second state
Center to Center Length: 146.6mm/5.772"	the second
Big End Bore Diameter: 47mm/1.850"	
Big End Width: 19.79mm/0.779"	
Small End Bore Diameter: 20mm /0.787"	C/C Length:146.6mm
Small End Width: 19.99mm/0.787"	BE Width: 19.79mm SE Width: 19.99mm
Beam Style: X-beam	

Toyota 1ZZ X-beam Connecting Rods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXX
Advertised Horsepower Rating	700hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Products Description :

These Toyota 1zz connecting rods forged from high quality 4340 Chromoly steel ; and built with strong X-Beam design to withstand high horsepower engines; They can hold about 175 HP per rod. Per rod 100% designed and processed by CNC machine at Hurricane workshop in Chengdu , China ; High strength dowels fitted in the big end cap to keep the bearing caps precisely aligned;The bronze bushings are inserted in the small end for floating piston pins .

Hurricane X-beam 4340 forged steel connecting rods



Hurricane also provides X-beam connecting rods for following performance engines : <u>Toyota 3RZ</u> <u>TOYOTA 1KD-FTV 3.0L TD</u> Toyota 1/2/3 UZFE HONDA / ACURA J35 Honda F20B Honda Integra LS CRV B18A B18B B20 Honda F20C/S2000 HONDA / ACURA S2000 F22C VW Golf Jetta - 2.3 VR5 AGZ AQN Audi/VW R32 VR6 Audi VW Scirocco/Jetta/Golf 1.8L/1.8T Audi / VW 1.9L TDI Audi S4 2.7T 30V and 2.8L V6 BMW Z4 35i 135i 335i 535i N54B30 BMW N20B20 F22 228i F25 X1 X3 BMW M3 E46 S54 3.2L **BMW E30 M20** Mazda MZR 2.0L

If you can not find the connecting rod which you need on our website , please feel free send email to **marketing@hurricane-rod.com.cn** or leave massage for us online .