
Connecting rod Seat VW 2.3 V5 / AGZ / AQN Main Sizes



VW Seat AUDI 2.3 20v Vr5 V5 Golf PASSAT (std) Con Rod Features

Connecting Rod Bolt Diameter	5/16 "
Approximate Connecting Rod Weight	xxxg
Advertised Horsepower Rating	600hp
Quantity	Sold as 5 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

VW 2.3 VR5 Hurricane H-Beam Con-Rods Description

Hurricane Speed and Performance is proud to manufacture the highest quality connecting rods available for all kinds of applications, at a reasonable price. This is accomplished through careful design, manufacturing, and quality control processes. With hundreds and hundreds of sets of various connecting rods, especially <a href="https://www.numer.com/

The material specification and treatment is equally important to producing a quality connecting rod with a high strength toweight ratio. Our steel rods feature 4340 Chrome Moly steel for the highest possible fatigue life. The material is multi-stage heat treated to ensure the highest possible fatigue strength as well as gooddimensional stability. This feature ensures that our big ends stay round for a lifetime of bearing trouble free service. Following this pattern of high quality, ARP 2000 rod bolts are standard in all of our applications, which you could purchase with the best price from distributor or USA directly.



Features

One-piece Forgings from 4340 Chrome Moly Steel
Multi Stage Heat Treat for maximum strength, dimensional stability, and fatigue life.
Fully Machined and Shot Peened
H beam Design
Assemble standard ARP2000 Rod Bolts
Computer Optimized Design
Dimensionally Inspected
Packed in balanced sets +/- 1 gram.
All this at a price point that yields market leading value
Combination tested to over 600HP+

VW Racing Car

