


Forged Connecting Rod for Volvo B5 139.5mm Main Sizes

Brand: Hurricane	
Center to Center Length: 139.5mm/5.492"	
Big End Bore Diameter: 53.00mm/2.087"	
Big End Width: 24.95mm/0.982"	
Small End Bore Diameter: 23mm /0.906"	
Small End Width: 25.65mm/1.010"	
Beam Style: X-beam	

Volvo B5 5 Cylinder 139.5mm connecting rods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	xxx gram per piece
Advertised Horsepower Rating	850 HP
Quantity	Sold as 5 pieces per set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes Balanced +/- 1g per set
Magnafluxed	Yes
Private Label	Yes, available
Custom design	Yes, accept

Performance conrods for Volvo 850 C70 T5 2.3L B5234T Description

Volvo B5 5 Cylinder 139.5mm connecting rods are forged from SAE 4340 Chrome Moly Steel for the highest strength and durability, dedicated for Racing. 139.5mm Forged X Beam Connecting Rods Volvo

B5254 are designed to support 850 horsepower.



Hurricane Volvo 850 T5 C70 V70 2.3L 4340 Forged Steel X-Beam Connecting Rods 139.5mm are ready for install bushings.

Performance conrods for Volvo 850 C70 T5 2.3L B5234T Additional machining processes

1. Dowel sleeves for perfect fit and accurate re-assembling
2. Multi Stage Heat Treatment for maximum strength, dimensional stability, and fatigue life
3. Uniform machine peeningfor greater strength
4. Dimensionally Inspected
5. Optimal balancing for weight matched sets of ± 1 gram

KIT CONTENTS

Five (5) pieces performance conrods for Volvo 850 C70 T5 2.3L B5234T, 23mm wrist pin
Ten (10) pieces [Hurricane 3/8" Connecting Rod Bolts](#)

Thanks for checking hurricane products, lease feel free to [email us](#) with your inquiry and requirement..

Volvo 850 Engine



Note: Picture from Motor1.